



# MRO Solutions





Gecko® brings 40 years of expertise in the MRO industry to our customers. We offer complete solutions designed to improve efficiency, safety, and sustainability, while helping lower overall operating costs and reduce downtime.

Gecko® provides high-performance maintenance chemicals tested in real-world conditions for industrial manufacturing, transportation, marine and offshore operations, military contractors, mining, and oil & gas facilities worldwide.

Our comprehensive product line helps reduce inventory, minimize costs, and maximize efficiency and productivity.

## **Industries Served**

- ✓ **Aviation**
- ✓ **Contractors**
- ✓ **Fabricated Metals**
- ✓ **Fiberglass Composite Manufacturing**
- ✓ **Food Processing**
- ✓ **Industrial MRO**
- ✓ **Machinery Manufacturing**
- ✓ **Marine**
- ✓ **Mining**
- ✓ **Natural Resources**
- ✓ **Railroad**
- ✓ **Transportation**





## Our Brand History

Gecko® is the result of 40 years of direct work with industrial customers. By operating in real-world environments and understanding their technical needs, we have developed solutions that make maintenance operations more efficient, safer, and more cost-effective.

From our early beginnings with the launch of Gecko® 100, our vision has been to make our customers' work easier and minimize downtime.

Today, Gecko® offers more than 70 high-performance products, and our vision remains the same.

## Did You Know Why Gecko?

Inspired by ancestral symbolism across diverse cultures, the gecko represents protection, resilience, regeneration, and adaptability—qualities that fully reflect our industrial solutions.

Just as geckos survive in harsh environments, Gecko® products are designed to protect critical assets, restore damaged equipment, and extend operational life in extreme conditions where others cannot, helping industry operate in a safer, more efficient, and more reliable way.

- ✓ **Cleaner Degreasers**
- ✓ **Solvents & Safety Solvents**
- ✓ **Contact Cleaners**
- ✓ **Penetrants & Lubricants**
- ✓ **Rust Inhibitors & VCIs**
- ✓ **Rust Removers & Metal Conditioners**



# Cleaner Degreasers

## Gecko® 050 All-Purpose Cleaner

- ✓ Removes grease/oil/dirt; ready to use
- ✓ Water-based
- ✓ No harmful solvents
- ✓ Metal-safe
- ✓ Non-flammable
- ✓ Non-toxic
- ✓ Environmentally responsible
- ✓ Broad-surface compatibility
- ✓ Acts on contact



| Properties                  |                |
|-----------------------------|----------------|
| Appearance / Physical State | Liquid         |
| Color                       | Turquoise Blue |
| Dielectric Strength         | NA             |
| Odor                        | Characteristic |
| Propellant                  | NA             |
| VOC Compliant CARB/OTC      | Yes            |
| Recyclable Packaging        | Yes            |
| Ozone Depleting Compounds   | None           |

| Size / Availability |            |
|---------------------|------------|
| Pail                | 5 Gallons  |
| Drum                | 55 Gallons |



# Gecko®100 FOAM All Purpose Cleaner Degreaser (AEROSOL)



- ✓ **Powerful foam**
- ✓ **Quickly eliminates heavy soils**
- ✓ **Extended dwell time for faster cleaning**
- ✓ **Water rinseable**
- ✓ **Heavy-duty industrial foaming**
- ✓ **break down tough soils such as grease and oil**
- ✓ **Environmentally friendly**
- ✓ **Non-toxic**
- ✓ **Easy to use.**

| Size / Availability |             |
|---------------------|-------------|
| CAN SIZE            | 20 Oz       |
| NET WEIGHT          | 16 Oz       |
| QUANTITY            | 12 Per Case |
| SHIPPING WEIGHT     | 17 Lbs      |

| Properties                  |                            |
|-----------------------------|----------------------------|
| Appearance / Physical State | Aerosol: Gas, Bulk: Liquid |
| Color                       | White                      |
| Dielectric Strength         | NA                         |
| Odor                        | Citrus                     |
| Propellant                  | Liquefied Gas              |
| VOC Compliant CARB/OTC      | Yes                        |
| Recyclable Packaging        | Yes                        |
| Ozone Depleting Compounds   | None                       |

## Gecko® 710 Engine Degreaser

- ✓ **Water-based**
- ✓ **High-performance formula**
- ✓ **Removes heavy soils**
- ✓ **Safe for hoses and seals**
- ✓ **Non-flammable**
- ✓ **Rapid rinse**
- ✓ **Concentrated**
- ✓ **Environmentally responsible**



| Properties                  |                |
|-----------------------------|----------------|
| Appearance / Physical State | Liquid         |
| Color                       | Pink           |
| Dielectric Strength         | NA             |
| Odor                        | Characteristic |
| Propellant                  | NA             |
| VOC Compliant CARB/OTC      | No             |
| Recyclable Packaging        | Yes            |
| Ozone Depleting Compounds   | None           |

| Size / Availability |            |
|---------------------|------------|
| Pail                | 5 Gallons  |
| Drum                | 55 Gallons |



# Gecko® 720 Workshop Floor Cleaner



- ✓ Concentrated
- ✓ Water-based
- ✓ Environmentally friendly
- ✓ Optimized for industrial floors
- ✓ Penetrates and lifts soils
- ✓ Compatible with floor-scrubbing machines
- ✓ No harmful solvents
- ✓ Non-flammable

| Size / Availability |            |
|---------------------|------------|
| Pail                | 5 Gallons  |
| Drum                | 55 Gallons |

| Properties                  |                |
|-----------------------------|----------------|
| Appearance / Physical State | Liquid         |
| Color                       | Blue           |
| Dielectric Strength         | NA             |
| Odor                        | Characteristic |
| Propellant                  | NA             |
| VOC Compliant CARB/OTC      | NO             |
| Recyclable Packaging        | Yes            |
| Ozone Depleting Compounds   | None           |

# Gecko® 730 Natural Solvent HD

- ✓ Controlled evaporation
- ✓ Moisture displacement
- ✓ Non-abrasive
- ✓ Non-corrosive
- ✓ Metal-safe



| Properties                  |               |
|-----------------------------|---------------|
| Appearance / Physical State | Liquid        |
| Color                       | Clear         |
| Dielectric Strength         | NA            |
| Odor                        | Light Solvent |
| Propellant                  | NA            |
| VOC Compliant CARB/OTC      | No            |
| Recyclable Packaging        | Yes           |
| Ozone Depleting Compounds   | None          |

| Size / Availability |            |
|---------------------|------------|
| Pail                | 5 Gallons  |
| Drum                | 55 Gallons |



# Gecko® 732 Orange HD



- ✓ Emulsifiable
- ✓ Natural based
- ✓ Non- residue
- ✓ Metal- safe
- ✓ Heavy duty
- ✓ Non-corrosive
- ✓ Formulated with d-limonene

| Size / Availability |            |
|---------------------|------------|
| Aerosol             | 14 oz      |
| Pail                | 5 Gallons  |
| Drum                | 55 Gallons |

| Properties                  |                |
|-----------------------------|----------------|
| Appearance / Physical State | Liquid         |
| Color                       | Red            |
| Dielectric Strength         | NA             |
| Odor                        | Orange Solvent |
| Propellant                  | NA             |
| VOC Compliant CARB/OTC      | No             |
| Recyclable Packaging        | Yes            |
| Ozone Depleting Compounds   | None           |

# Gecko® 738 Citrus HD

- ✓ Heavy-duty emulsifying industrial degreaser
- ✓ Natural-origin solvent system
- ✓ Pleasant citrus scent
- ✓ Residue-free
- ✓ Non-corrosive
- ✓ Metal-safe.



| Properties                  |               |
|-----------------------------|---------------|
| Appearance / Physical State | Liquid        |
| Color                       | Clear         |
| Dielectric Strength         | NA            |
| Odor                        | Light Solvent |
| Propellant                  | NA            |
| VOC Compliant CARB/OTC      | No            |
| Recyclable Packaging        | Yes           |
| Ozone Depleting Compounds   | None          |

| Size / Availability |            |
|---------------------|------------|
| Pail                | 5 Gallons  |
| Drum                | 55 Gallons |



# Gecko® 744 Eco Solvent Gel



- ✓ Thixotropic gel heavy-duty solvent degreaser
- ✓ Increases dwell time
- ✓ For vertical surfaces
- ✓ Dissolve tars, waxes & heavy greases
- ✓ Low odor
- ✓ Environmentally safe

| Size / Availability |           |
|---------------------|-----------|
| Pail                | 5 Gallons |

| Properties                  |               |
|-----------------------------|---------------|
| Appearance / Physical State | Gel           |
| Color                       | Clear         |
| Dielectric Strength         | NA            |
| Odor                        | Light Solvent |
| Propellant                  | NA            |
| VOC Compliant CARB/OTC      | No            |
| Recyclable Packaging        | Yes           |
| Ozone Depleting Compounds   | None          |

# Gecko® 745 Citrus Solvent Gel

- ✓ Thixotropic
- ✓ Increases dwell time
- ✓ For vertical surfaces
- ✓ Dissolve tars, waxes & heavy greases
- ✓ Low odor
- ✓ Environmentally safe
- ✓ Fortified with d-limonene



| Properties                  |                |
|-----------------------------|----------------|
| Appearance / Physical State | Gel            |
| Color                       | Clear          |
| Dielectric Strength         | NA             |
| Odor                        | Citrus Solvent |
| Propellant                  | NA             |
| VOC Compliant CARB/OTC      | No             |
| Recyclable Packaging        | Yes            |
| Ozone Depleting Compounds   | None           |

| Size / Availability |           |
|---------------------|-----------|
| Pail                | 5 Gallons |



# Gecko® 766 Heavy-Duty Solvent Degreaser



- ✓ Heavy-duty degreaser
- ✓ Emulsifiable
- ✓ Heavy-duty degreaser
- ✓ Dissolve tars, waxes & heavy greases
- ✓ Non-flammable
- ✓ Non-corrosive
- ✓ Metal-safe
- ✓ Environmentally safe

| Size / Availability |            |
|---------------------|------------|
| Pail                | 5 Gallons  |
| Drum                | 55 Gallons |

| Properties                  |         |
|-----------------------------|---------|
| Appearance / Physical State | Liquid  |
| Color                       | Pink    |
| Dielectric Strength         | NA      |
| Odor                        | Solvent |
| Propellant                  | NA      |
| VOC Compliant CARB/OTC      | No      |
| Recyclable Packaging        | Yes     |
| Ozone Depleting Compounds   | None    |

# Gecko® 770 Industrial Descaler HD

- ✓ Minimal odor
- ✓ Acid based
- ✓ Rapidly dissolves limescale, rust, calcium, lithium carbonate, and other mineral deposits
- ✓ Low foam
- ✓ Concentrated
- ✓ For industrial applications



| Properties                  |         |
|-----------------------------|---------|
| Appearance / Physical State | Liquid  |
| Color                       | Clear   |
| Dielectric Strength         | NA      |
| Odor                        | Solvent |
| Propellant                  | NA      |
| VOC Compliant CARB/OTC      | No      |
| Recyclable Packaging        | Yes     |
| Ozone Depleting Compounds   | None    |

| Size / Availability |            |
|---------------------|------------|
| Pail                | 5 Gallons  |
| Drum                | 55 Gallons |



# Gecko® 771 Heavy-Duty Alkaline Degreaser



- ✓ Super-concentrated
- ✓ Use cold or hot
- ✓ Removes carbon, burned oil, heavy grease
- ✓ Heavy duty applications
- ✓ Biodegradable surfactants

| Size / Availability |            |
|---------------------|------------|
| Pail                | 5 Gallons  |
| Drum                | 55 Gallons |

| Properties                  |                |
|-----------------------------|----------------|
| Appearance / Physical State | Liquid         |
| Color                       | Opaque         |
| Dielectric Strength         | NA             |
| Odor                        | Characteristic |
| Propellant                  | NA             |
| VOC Compliant CARB/OTC      | No             |
| Recyclable Packaging        | Yes            |
| Ozone Depleting Compounds   | None           |

# Gecko® 910 Heavy-Duty Solvent Degreaser

- ✓ Emulsifiable
- ✓ Heavy-duty degreaser
- ✓ Non-corrosive
- ✓ Safe solvent based
- ✓ Environmentally safe
- ✓ Remove asphaltic/synthetic greases
- ✓ Safe on metals and paints
- ✓ Safe for seals and gaskets



| Properties                  |         |
|-----------------------------|---------|
| Appearance / Physical State | Liquid  |
| Color                       | Yellow  |
| Dielectric Strength         | NA      |
| Odor                        | Solvent |
| Propellant                  | NA      |
| VOC Compliant CARB/OTC      | No      |
| Recyclable Packaging        | Yes     |
| Ozone Depleting Compounds   | None    |

| Size / Availability |            |
|---------------------|------------|
| Pail                | 5 Gallons  |
| Drum                | 55 Gallons |



# Gecko® 911 ALK Degreaser Concentrate



- ✓ Concentrated
- ✓ Alkaline formula
- ✓ Remove oil and heavy greases
- ✓ Environmentally friendly
- ✓ Fortified with corrosion inhibitors and water-conditioning agents
- ✓ Biodegradable foaming surfactants

| Size / Availability |            |
|---------------------|------------|
| Pail                | 5 Gallons  |
| Drum                | 55 Gallons |

| Properties                  |                |
|-----------------------------|----------------|
| Appearance / Physical State | Liquid         |
| Color                       | Solvent        |
| Dielectric Strength         | NA             |
| Odor                        | Characteristic |
| Propellant                  | NA             |
| VOC Compliant CARB/OTC      | No             |
| Recyclable Packaging        | Yes            |
| Ozone Depleting Compounds   | None           |

# Gecko® 912 Heavy-Duty Degreaser

- ✓ Contains corrosion inhibitors
- ✓ Water based
- ✓ Remove heavy greases, oils & soot
- ✓ Non-flammable
- ✓ Metal-safe
- ✓ Environmentally safe



| Properties                  |                |
|-----------------------------|----------------|
| Appearance / Physical State | Liquid         |
| Color                       | Blue           |
| Dielectric Strength         | NA             |
| Odor                        | Characteristic |
| Propellant                  | NA             |
| VOC Compliant CARB/OTC      | No             |
| Recyclable Packaging        | Yes            |
| Ozone Depleting Compounds   | None           |

| Size / Availability |            |
|---------------------|------------|
| Pail                | 5 Gallons  |
| Drum                | 55 Gallons |



# Gecko® 922 Extra-Heavy-Duty Foaming Alkaline Cleaner



- ✓ Biodegradable surfactants
- ✓ Reducing product use and labor.
- ✓ For extra-heavy-duty work
- ✓ High and dry foam
- ✓ Includes corrosion inhibitors & water-conditioners
- ✓ More adhesion, penetration & dispersion

| Size / Availability |            |
|---------------------|------------|
| Pail                | 5 Gallons  |
| Drum                | 55 Gallons |

| Properties                  |                |
|-----------------------------|----------------|
| Appearance / Physical State | Liquid         |
| Color                       | Yellow Opaque  |
| Dielectric Strength         | NA             |
| Odor                        | Characteristic |
| Propellant                  | NA             |
| VOC Compliant CARB/OTC      | No             |
| Recyclable Packaging        | Yes            |
| Ozone Depleting Compounds   | None           |

# Gecko® 575 Foam Chlor

- ✓ High-performance
- ✓ Remove protein , grease, oils, and blood
- ✓ Chlorine-fortified
- ✓ Removes protein soils
- ✓ Metal-safe
- ✓ High foam
- ✓ Fast action
- ✓ No added dyes or fragrances



| Properties                  |                |
|-----------------------------|----------------|
| Appearance / Physical State | Liquid         |
| Color                       | Blue           |
| Dielectric Strength         | NA             |
| Odor                        | Characteristic |
| Propellant                  | NA             |
| VOC Compliant CARB/OTC      | No             |
| Recyclable Packaging        | Yes            |
| Ozone Depleting Compounds   | None           |

| Size / Availability |            |
|---------------------|------------|
| Pail                | 5 Gallons  |
| Drum                | 55 Gallons |



# Solvents & Safety Solvents

## Gecko® 700 Safety Solvent



- ✓ Non-conductive
- ✓ Dielectric strength >30kV
- ✓ Non-corrosive
- ✓ Residue-free
- ✓ No rinse required
- ✓ Safe on metals and plastics
- ✓ High flash point
- ✓ Low toxicity
- ✓ Environmentally responsible
- ✓ Fast-evaporating

| Size / Availability |            |
|---------------------|------------|
| Pail                | 5 Gallons  |
| Drum                | 55 Gallons |

| Properties                  |         |
|-----------------------------|---------|
| Appearance / Physical State | Liquid  |
| Color                       | Clear   |
| Dielectric Strength         | NA      |
| Odor                        | Solvent |
| Propellant                  | NA      |
| VOC Compliant CARB/OTC      | No      |
| Recyclable Packaging        | Yes     |
| Ozone Depleting Compounds   | None    |



# Gecko® 701 Solve HD (Aerosol)



- ✓ Non-chlorinated
- ✓ Non-corrosive
- ✓ Fast drying
- ✓ Heavy-duty degreasing
- ✓ No residue
- ✓ Plastic safe

| Properties                  |                            |
|-----------------------------|----------------------------|
| Appearance / Physical State | Aerosol: Gas, Bulk: Liquid |
| Color                       | Colorless                  |
| Dielectric Strength         | 0                          |
| Odor                        | Solvent                    |
| Propellant                  | Liquefied Gas              |
| VOC Compliant CARB/OTC      | No                         |
| Recyclable Packaging        | Yes                        |
| Ozone Depleting Compounds   | None                       |

| Size / Availability |             |
|---------------------|-------------|
| Can Size            | 20 Oz       |
| Net Weight          | 13 Oz       |
| Quantity            | 12 Per Case |
| Shipping Weight     | 15 Lbs      |

# Gecko® 715 Fast Safety Solvent

- ✓ Non-flammable
- ✓ Safe organic solvents
- ✓ Replacement for chlorinated/fluorinated degreasers
- ✓ Fast-drying
- ✓ Non-conductive
- ✓ Non-corrosive
- ✓ Residue-free
- ✓ Safe on metals and plastics
- ✓ High flash point
- ✓ Low toxicity



| Size / Availability |            |
|---------------------|------------|
| Pail                | 5 Gallons  |
| Drum                | 55 Gallons |

| Properties                  |         |
|-----------------------------|---------|
| Appearance / Physical State | Liquid  |
| Color                       | Clear   |
| Dielectric Strength         | NA      |
| Odor                        | Solvent |
| Propellant                  | NA      |
| VOC Compliant CARB/OTC      | No      |
| Recyclable Packaging        | Yes     |
| Ozone Depleting Compounds   | None    |



# Gecko®715 Fast Solvent Cleaner & Degreaser (Aerosol)



- ✓ Quick cleaning
- ✓ Powerful flushing action
- ✓ Non-conductive
- ✓ Non-flammable
- ✓ No petroleum distillates
- ✓ Dielectric strength: 36,000V
- ✓ Residue-free
- ✓ Fast drying,
- ✓ High-power electrical degreaser

| Size / Availability |             |
|---------------------|-------------|
| Can Size            | 20 Oz       |
| Net Weight          | 16 Oz       |
| Quantity            | 12 Per Case |
| Shipping Weight     | 17 Lbs      |

| Properties                  |                            |
|-----------------------------|----------------------------|
| Appearance / Physical State | Aerosol: Gas, Bulk: Liquid |
| Color                       | Clear                      |
| Dielectric Strength         | 36,000V                    |
| Odor                        | Solvent                    |
| Propellant                  | Liquefied Gas              |
| VOC Compliant CARB/OTC      | Yes                        |
| Recyclable Packaging        | Yes                        |
| Ozone Depleting Compounds   | None                       |

# Gecko®734 Orange Solv HD

- ✓ Non-chlorinated
- ✓ Works on contact
- ✓ Non-conductive
- ✓ Remove greases, oils, and dirt
- ✓ Dries quickly
- ✓ No residue
- ✓ Safe on all metals
- ✓ Deep penetration



| Properties                  |                            |
|-----------------------------|----------------------------|
| Appearance / Physical State | Aerosol: Gas, Bulk: Liquid |
| Color                       | Clear                      |
| Dielectric Strength         | 0                          |
| Odor                        | Citrus                     |
| Propellant                  | Liquefied Gas              |
| VOC Compliant CARB/OTC      | Yes                        |
| Recyclable Packaging        | Yes                        |
| Ozone Depleting Compounds   | None                       |

| Size / Availability |             |
|---------------------|-------------|
| Can Size            | 20 Oz       |
| Net Weight          | 14 Oz       |
| Quantity            | 12 Per Case |
| Shipping Weight     | 14 Lbs      |



# Gecko® 915 Precision Cleaning Solvent



- ✓ Dielectric strength >30kV
- ✓ Non-conductive
- ✓ Non-corrosive
- ✓ Varnish & paint compatible
- ✓ Residue-free
- ✓ Safe on metals and plastics
- ✓ High flash point
- ✓ Low toxicity

| Size / Availability |            |
|---------------------|------------|
| Pail                | 5 Gallons  |
| Drum                | 55 Gallons |

| Properties                  |         |
|-----------------------------|---------|
| Appearance / Physical State | Liquid  |
| Color                       | Clear   |
| Dielectric Strength         | NA      |
| Odor                        | Solvent |
| Propellant                  | NA      |
| VOC Compliant CARB/OTC      | No      |
| Recyclable Packaging        | Yes     |
| Ozone Depleting Compounds   | None    |



# Contact Cleaners

## Gecko®680 Contact & Circuit Cleaner



- ✓ Cleans, restores and protects
- ✓ Dielectric strength: 22,600V
- ✓ Flammable
- ✓ Non-chlorinated
- ✓ Quick drying
- ✓ No residue

### Properties

|                             |                            |
|-----------------------------|----------------------------|
| Appearance / Physical State | Aerosol: Gas, Bulk: Liquid |
| Color                       | Clear                      |
| Dielectric Strength         | 22,600V                    |
| Odor                        | Solvent                    |
| Propellant                  | Liquefied Gas              |
| VOC Compliant CARB/OTC      | Yes                        |
| Recyclable Packaging        | Yes                        |
| Ozone Depleting Compounds   | None                       |

### Size / Availability

|                 |                  |
|-----------------|------------------|
| Can Size        | 16 Oz            |
| Net Weight      | 11 Oz            |
| Quantity        | 12 cans per case |
| Shipping Weight | 14 Lbs           |



# Penetrants & Lubricants

## Gecko® 263 Heavy Duty Penetrating Oil (Aerosol)



- ✓ **Non-flammable**
- ✓ **Non-conductive**
- ✓ **Quickly penetrates**
- ✓ **Rust and corrosion protection**
- ✓ **Displaces moisture**
- ✓ **Dielectric strength: 39,000V**
- ✓ **Reduces wear caused by friction**
- ✓ **Does not contain silicone**
- ✓ **Safe to use on most sensible surfaces**
- ✓ **Non-drying, light, oily film**
- ✓ **Loosens rusted or frozen parts**

| <b>Size / Availability</b> |                  |
|----------------------------|------------------|
| Can Size                   | 16 Oz            |
| Net Weight                 | 15 Oz            |
| Quantity                   | 12 cans per case |

| <b>Properties</b>           |                                   |
|-----------------------------|-----------------------------------|
| Appearance / Physical State | Aerosol: Gas, Bulk: Liquid        |
| Color                       | Brown                             |
| Dielectric Strength         | 39kV                              |
| Odor                        | Strawberry, slight petroleum odor |
| Propellant                  | Liquefied Gas                     |
| VOC Compliant CARB/OTC      | No                                |
| Recyclable Packaging        | Yes                               |
| Ozone Depleting Compounds   | None                              |



# Gecko® 270 LUB Liquid Super Penetrant (Aerosol)



- ✓ **Non-chlorinated**
- ✓ **Non-silicone**
- ✓ **Prevents corrosion**
- ✓ **Penetrates and lubricates**
- ✓ **Cleans and displaces moisture**
- ✓ **Oil-based lubricant**
- ✓ **Without chlorinated solvents**

| Size / Availability |                  |
|---------------------|------------------|
| Can Size            | 20 Oz            |
| Net Weight          | 15 Oz            |
| Quantity            | 12 Cans Per Case |
| Shipping Weight     | 15 Lbs           |

| Properties                  |                            |
|-----------------------------|----------------------------|
| Appearance / Physical State | Aerosol: Gas, Bulk: Liquid |
| Color                       | Cream                      |
| Dielectric Strength         | NA                         |
| Odor                        | Solvent                    |
| Propellant                  | Liquefied Gas              |
| VOC Compliant CARB/OTC      | Yes                        |
| Recyclable Packaging        | Yes                        |
| Ozone Depleting Compounds   | None                       |

# Gecko®815 Chain & Cable Lubricant with Moly (Aerosol)

- ✓ **Thick foaming action evenly coats the surface**
- ✓ **Forms a protective lubricating barrier**
- ✓ **Effective temperature range: 10°F to 400°F**
- ✓ **Contains molybdenum disulfide (MoS<sub>2</sub>)**
- ✓ **Extends chain and wire rope service life**
- ✓ **Performs under extreme pressure and temperature conditions**
- ✓ **Water-displacing solvents penetrate cracks and the wire rope core quickly**
- ✓ **Anti-sling adhesion reduces mess during operation**
- ✓ **Reduces wear caused by friction and corrosion**
- ✓ **Provides maximum lubrication and corrosion protectio**



| Properties                  |                            |
|-----------------------------|----------------------------|
| Appearance / Physical State | Aerosol: Gas, Bulk: Liquid |
| Color                       | Dark Green                 |
| Dielectric Strength         | NA                         |
| Odor                        | Solvent                    |
| Propellant                  | Liquefied Gas              |
| VOC Compliant CARB/OTC      | Yes                        |
| Recyclable Packaging        | Yes                        |
| Ozone Depleting Compounds   | None                       |

| Size / Availability |                  |
|---------------------|------------------|
| Can Size            | 20 Oz            |
| Net Weight          | 16 Oz            |
| Quantity            | 12 Cans Per Case |
| Shipping Weight     | 17 Lbs           |



# Gecko®355 Copper-Based Anti-Seize Lubricant (Aerosol)



- ✓ Brushes on easily
- ✓ Excellent adhesion and clinging properties
- ✓ Highly adhesive on both wet and dry surfaces
- ✓ Ideal for stainless steel and for joining dissimilar metals
- ✓ Lead-free formulation
- ✓ Lubricates, protects, and seals
- ✓ Allows reuse of fittings and easy removal or replacement of studs, bolts, and nuts
- ✓ Provides protection in high-temperature environments up to 2000°F (1093°C)
- ✓ Protects against heat-freeze, galling, rust, and corrosion
- ✓ Will not run, drip, or separate

| Size / Availability |                  |
|---------------------|------------------|
| Can Size            | 20 Oz            |
| Net Weight          | 16 Oz            |
| Quantity            | 12 Cans Per Case |
| Shipping Weight     | 17 Lbs           |

| Properties                  |                            |
|-----------------------------|----------------------------|
| Appearance / Physical State | Aerosol: Gas, Bulk: Liquid |
| Color                       | Dark Brown                 |
| Dielectric Strength         | NA                         |
| Odor                        | Solvent                    |
| Propellant                  | Liquefied Gas              |
| VOC Compliant CARB/OTC      | Yes                        |
| Recyclable Packaging        | Yes                        |
| Ozone Depleting Compounds   | None                       |

# Gecko®816 Dry Moly Lubricant (Aerosol)

- ✓ Fast drying
- ✓ Thin film
- ✓ Fortified molybdenum disulfide
- ✓ Non-corrosive
- ✓ Oil-free formula
- ✓ Perform well at high temperatures from -28°F to 600°F
- ✓ Methylene chloride free
- ✓ Repel dust and dirt
- ✓ Prevents seizure of parts



| Properties                  |                            |
|-----------------------------|----------------------------|
| Appearance / Physical State | Aerosol: Gas, Bulk: Liquid |
| Color                       | Black                      |
| Dielectric Strength         | NA                         |
| Odor                        | Solvent                    |
| Propellant                  | Liquefied Gas              |
| VOC Compliant CARB/OTC      | No                         |
| Recyclable Packaging        | Yes                        |
| Ozone Depleting Compounds   | None                       |

| Size / Availability |                  |
|---------------------|------------------|
| Can Size            | 16 Oz            |
| Net Weight          | 11 Oz            |
| Quantity            | 12 Cans Per Case |
| Shipping Weight     | 13 Lbs           |



# Gecko®812 Open Gear Lubricant (Aerosol)



- ✓ Water-resistant formula
- ✓ Wide operating temperature range: 30°F to 600°F (-1°C to 315°C)
- ✓ Heavy-duty performance in highly loaded applications
- ✓ Designed for extreme environments
- ✓ Reduces equipment failure and downtime
- ✓ Suitable for all types and sizes of open gears

| Size / Availability |                  |
|---------------------|------------------|
| Can Size            | 20 Oz            |
| Net Weight          | 16 Oz            |
| Quantity            | 12 Cans Per Case |
| Shipping Weight     | 17 Lbs           |

| Properties                  |                            |
|-----------------------------|----------------------------|
| Appearance / Physical State | Aerosol: Gas, Bulk: Liquid |
| Color                       | Dark Grey                  |
| Dielectric Strength         | NA                         |
| Odor                        | Solvent                    |
| Propellant                  | Liquefied Gas              |
| VOC Compliant CARB/OTC      | No                         |
| Recyclable Packaging        | Yes                        |
| Ozone Depleting Compounds   | None                       |

# Gecko®817 Dry Film Graphite Lubricant (Aerosol)

- ✓ Bonds instantly to metal, rubber, and plastic substrates
- ✓ Fast drying & high adhesive strength
- ✓ Resists water, oils, and alkalis
- ✓ Heat stable from -100°F to 850°F



| Properties                  |                            |
|-----------------------------|----------------------------|
| Appearance / Physical State | Aerosol: Gas, Bulk: Liquid |
| Color                       | Black                      |
| Dielectric Strength         | NA                         |
| Odor                        | Solvent                    |
| Propellant                  | Liquefied Gas              |
| VOC Compliant CARB/OTC      | Yes                        |
| Recyclable Packaging        | Yes                        |
| Ozone Depleting Compounds   | None                       |

| Size / Availability |                  |
|---------------------|------------------|
| Can Size            | 16 Oz            |
| Net Weight          | 12.75 Oz         |
| Quantity            | 12 Cans Per Case |
| Shipping Weight     | 15 Lbs           |



# Gecko®810 Heavy Duty Silicone Lube (Aerosol)



- ✓ Fine spray mist pattern
- ✓ Reduces friction and heat
- ✓ Repels dirt, dust, and grime
- ✓ Odorless and colorless
- ✓ Silicone-rich formulation
- ✓ Provides long-lasting lubrication and corrosion protection
- ✓ Wide operating temperature range: -58°F to 600°F (-50°C to 315°C)

| Size / Availability |             |
|---------------------|-------------|
| Can Size            | 20 Oz       |
| Net Weight          | 12 Oz       |
| Quantity            | 12 Per Case |
| Shipping Weight     | 14 Lbs      |

| Properties                  |                            |
|-----------------------------|----------------------------|
| Appearance / Physical State | Aerosol: Gas, Bulk: Liquid |
| Color                       | Colorless                  |
| Dielectric Strength         | NA                         |
| Odor                        | Odorless                   |
| Propellant                  | Liquefied Gas              |
| VOC Compliant CARB/OTC      | Yes                        |
| Recyclable Packaging        | Yes                        |
| Ozone Depleting Compounds   | None                       |



# Rust Inhibitors & VCI's

## Gecko® 791 PROCOAT Rust Inhibitor



- ✓ Water-displacing
- ✓ Protects against salt spray and chemical vapors
- ✓ Self-healing film
- ✓ Readable part codes
- ✓ Safe on ferrous/non-ferrous metals
- ✓ Plastic/rubber/paint compatible
- ✓ Light lubrication/frees stuck parts
- ✓ Thixotropic—stays in place
- ✓ Non-conductive
- ✓ Silicone-free

| Size / Availability |            |
|---------------------|------------|
| Pail                | 5 Gallons  |
| Drum                | 55 Gallons |

| Properties                  |                |
|-----------------------------|----------------|
| Appearance / Physical State | Liquid         |
| Color                       | Brown          |
| Dielectric Strength         | NA             |
| Odor                        | Characteristic |
| Propellant                  | NA             |
| VOC Compliant CARB/OTC      | No             |
| Recyclable Packaging        | Yes            |
| Ozone Depleting Compounds   | None           |



# Gecko® 791 PROCOAT Rust Inhibitor (Aerosol)



- ✓ Dielectric strength: 39,000V
- ✓ Displaces moisture
- ✓ Non-conductive
- ✓ Non-flammable
- ✓ Protection for up to 1 year on indoor
- ✓ Quickly penetrates
- ✓ Rust and prevents corrosion
- ✓ Non-drying, light, oily film
- ✓ Does not contain silicone
- ✓ Safe to use on most plastics, rubbers and paint

| Size / Availability |                  |
|---------------------|------------------|
| Can Size            | 16 Oz            |
| Net Weight          | 15 Oz            |
| Quantity            | 12 Cans Per Case |

| Properties                  |                                   |
|-----------------------------|-----------------------------------|
| Appearance / Physical State | Aerosol: Gas, Bulk: Liquid        |
| Color                       | Brown                             |
| Dielectric Strength         | 39kV                              |
| Odor                        | Strawberry, slight petroleum odor |
| Propellant                  | Liquefied Gas                     |
| VOC Compliant CARB/OTC      | No                                |
| Recyclable Packaging        | Yes                               |
| Ozone Depleting Compounds   | None                              |

# Gecko® 792 PROCOAT HD Rust Inhibitor (Aerosol)

- ✓ Industrial rust inhibitor
- ✓ Will not crack, peel, or chip
- ✓ Flexible Protective Film
- ✓ For ferrous and non-ferrous metals
- ✓ For indoor & outdoor protection
- ✓ Protection under toughest conditions
- ✓ Safe for rubber, plastics, and paints
- ✓ Meets or exceed MIL SPECS for
- ✓ Corrosion Preventative



| Properties                  |                            |
|-----------------------------|----------------------------|
| Appearance / Physical State | Aerosol: Gas, Bulk: Liquid |
| Color                       | Brown                      |
| Dielectric Strength         | NA                         |
| Odor                        | Alox                       |
| Propellant                  | Liquefied Gas              |
| VOC Compliant CARB/OTC      | No                         |
| Recyclable Packaging        | Yes                        |
| Ozone Depleting Compounds   | None                       |

| Size / Availability |             |
|---------------------|-------------|
| Can Size            | 20 Oz       |
| Net Weight          | 15 Oz       |
| Quantity            | 12 Per Case |
| Shipping Weight     | 15 Lbs      |



# Gecko® 793 (VCI) – Volatile Corrosion Inhibitor Oil

- ✓ Mineral-oil base
- ✓ Light lubricity for moving parts
- ✓ ~7% volatile inhibitors
- ✓ Solvent-free
- ✓ No heavy metals
- ✓ Amber fluid
- ✓ Light odor
- ✓ Sprayable/nebulizable
- ✓ Low-temperature fluidity
- ✓ (viscosity rises in cold)
- ✓ Very thin
- ✓ Nearly transparent film
- ✓ ~20 m<sup>2</sup>/L (≈800 ft<sup>2</sup>/gal) thin-film coverage withstands ≥300 h at 100% RH/49°C
- ✓ Meets MIL-P-46002D intent for closed systems



| Size / Availability |            |
|---------------------|------------|
| Pail                | 5 Gallons  |
| Drum                | 55 Gallons |

| Properties                  |                |
|-----------------------------|----------------|
| Appearance / Physical State | Liquid         |
| Color                       | Brown          |
| Dielectric Strength         | NA             |
| Odor                        | Characteristic |
| Propellant                  | NA             |
| VOC Compliant CARB/OTC      | No             |
| Recyclable Packaging        | Yes            |
| Ozone Depleting Compounds   | None           |

# Gecko® 920 Rust Inhibitor WB



- ✓ Water-based
- ✓ Non-foaming
- ✓ Non-Flammable
- ✓ Protect metal parts

| Properties                  |                |
|-----------------------------|----------------|
| Appearance / Physical State | Liquid         |
| Color                       | White          |
| Dielectric Strength         | NA             |
| Odor                        | Characteristic |
| Propellant                  | NA             |
| VOC Compliant CARB/OTC      | No             |
| Recyclable Packaging        | Yes            |
| Ozone Depleting Compounds   | None           |

| Size / Availability |            |
|---------------------|------------|
| Pail                | 5 Gallons  |
| Drum                | 55 Gallons |



# Gecko® 935 Rust Preventive & Industrial Cleaner



- ✓ Double Action Industrial Cleaner and Preventive Rust Compound
- ✓ Non-foaming
- ✓ Excellent corrosion protection for ferrous metals
- ✓ Leaves a thin, invisible, dry-to-the-touch layer
- ✓ Removes oils, hydrocarbons, and other light industrial contaminants
- ✓ Non-carcinogenic
- ✓ Free of hydrocarbons and organic solvents
- ✓ Water-based
- ✓ Environmentally Friendly
- ✓ Concentrated Formula
- ✓ Safe to Handle and Store

| Size / Availability |            |
|---------------------|------------|
| Pail                | 5 Gallons  |
| Drum                | 55 Gallons |

| Properties                  |                |
|-----------------------------|----------------|
| Appearance / Physical State | Liquid         |
| Color                       | White          |
| Dielectric Strength         | NA             |
| Odor                        | Characteristic |
| Propellant                  | NA             |
| VOC Compliant CARB/OTC      | No             |
| Recyclable Packaging        | Yes            |
| Ozone Depleting Compounds   | None           |



# Rust Removers & Metal Conditioners

## Gecko® 750 Rust OFF



- ✓ Acid-based
- ✓ Faster action
- ✓ Remove moderate rust on metal
- ✓ Non-Flammable

| Size / Availability |            |
|---------------------|------------|
| Pail                | 5 Gallons  |
| Drum                | 55 Gallons |

| Properties                  |                |
|-----------------------------|----------------|
| Appearance / Physical State | Liquid         |
| Color                       | Red            |
| Dielectric Strength         | NA             |
| Odor                        | Characteristic |
| Propellant                  | NA             |
| VOC Compliant CARB/OTC      | No             |
| Recyclable Packaging        | Yes            |
| Ozone Depleting Compounds   | None           |



# Gecko® 755 Rust Remover HD

- ✓ Acid based
- ✓ Remove severe rust on metal
- ✓ Non-Flammable
- ✓ Fast-Acting
- ✓ Safe for metals
- ✓ Easy Disposal



| Properties                  |                |
|-----------------------------|----------------|
| Appearance / Physical State | Liquid         |
| Color                       | Yellow         |
| Dielectric Strength         | NA             |
| Odor                        | Characteristic |
| Propellant                  | NA             |
| VOC Compliant CARB/OTC      | No             |
| Recyclable Packaging        | Yes            |
| Ozone Depleting Compounds   | None           |

| Size / Availability |            |
|---------------------|------------|
| Pail                | 5 Gallons  |
| Drum                | 55 Gallons |

# Gecko® 756-A / 756-B / 756-C Rust Eliminator HD



- ✓ Acid based
- ✓ Remove severe rust on metal
- ✓ Non-Flammable
- ✓ Fast-Acting
- ✓ Safe for metals
- ✓ Easy Disposal

| Size / Availability |            |
|---------------------|------------|
| Pail                | 5 Gallons  |
| Drum                | 55 Gallons |

| Properties                  |                |
|-----------------------------|----------------|
| Appearance / Physical State | Liquid         |
| Color                       | Yellow         |
| Dielectric Strength         | NA             |
| Odor                        | Characteristic |
| Propellant                  | NA             |
| VOC Compliant CARB/OTC      | No             |
| Recyclable Packaging        | Yes            |
| Ozone Depleting Compounds   | None           |



# Gecko® 757 Rust Away HD

- ✓ Acid-based
- ✓ Faster action
- ✓ Remove moderate rust on metal
- ✓ Non-Flammable



| Properties                  |                |
|-----------------------------|----------------|
| Appearance / Physical State | Liquid         |
| Color                       | Pink           |
| Dielectric Strength         | NA             |
| Odor                        | Characteristic |
| Propellant                  | NA             |
| VOC Compliant CARB/OTC      | No             |
| Recyclable Packaging        | Yes            |
| Ozone Depleting Compounds   | None           |

| Size / Availability |            |
|---------------------|------------|
| Pail                | 5 Gallons  |
| Drum                | 55 Gallons |

# Gecko® 775 Concrete OFF HD



- ✓ Dissolves scale
- ✓ Removes concrete and lime deposits
- ✓ Removes concrete and corrosion
- ✓ Has residual action to prevent build-up

| Size / Availability |            |
|---------------------|------------|
| Pail                | 5 Gallons  |
| Drum                | 55 Gallons |

| Properties                  |                |
|-----------------------------|----------------|
| Appearance / Physical State | Liquid         |
| Color                       | Pink           |
| Dielectric Strength         | NA             |
| Odor                        | Characteristic |
| Propellant                  | NA             |
| VOC Compliant CARB/OTC      | No             |
| Recyclable Packaging        | Yes            |
| Ozone Depleting Compounds   | None           |



# Gecko® 925 Industrial Foam Rust Remover

- ✓ Acid based
- ✓ Produce a high and dry foam
- ✓ Remove severe rust on metal
- ✓ Non-Flammable
- ✓ Fast-Acting
- ✓ Safe for metals
- ✓ Easy Disposal



| Properties                  |                |
|-----------------------------|----------------|
| Appearance / Physical State | Liquid         |
| Color                       | Pink           |
| Dielectric Strength         | NA             |
| Odor                        | Characteristic |
| Propellant                  | NA             |
| VOC Compliant CARB/OTC      | No             |
| Recyclable Packaging        | Yes            |
| Ozone Depleting Compounds   | None           |

| Size / Availability |            |
|---------------------|------------|
| Pail                | 5 Gallons  |
| Drum                | 55 Gallons |





**U.S.A.**  
**CMV50 Corporation Inc.**  
**Miami FL 33130**

 [www.gecko2pro.com](http://www.gecko2pro.com)  
 [general@gecko100.com](mailto:general@gecko100.com)

The technical data, recommendations, and statements presented in this brochure reflect good-faith testing and experience that CMV50 Corporation Inc. regards as dependable. Nevertheless, the accuracy and completeness of such information cannot be assured, and it is not intended to replace or substitute the customer's independent testing.

Gecko® is a registered trademark of CMV50 Corporation Inc. and its affiliates in the U.S. and other countries.® Registered in the U.S. Patent and Trademark Office.  
© 2025 CMV50 Corporation Inc. All rights reserved.